L Number	Hits	Search Text	DB	Time stamp
-	3005	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 18:16
-	122	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and automatic$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 15:05
-	48	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (automatic$6 same transfer$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 13:28
-	25	(((auto automatic$7) near10 transfer$6) same status same data) and router	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 09:21
-	2585	((sav$4 stor$4 collect$6) near10 (information data)) and automatic$7 and (((auto automatic$7) near10 transfer$6) same (information data)) and (network$4 router) not ((((auto automatic$7) near10 transfer$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 09:28
-	933	(((sav$4 stor$4 collect$6) near10 (information data)) same (((auto automatic$7) near10 transfer$6) same (information data))) and (network$4 router) and automatic$7 not ((((auto automatic$7) near10 transfer$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 10:30
-	13	((collect$6 near10 (information data)) same (automatic$7 near10 transfer$6) near10 (network$4 router)) and automatic$7 not ((((auto automatic$7) near10 transfer$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 09:38
-	7	((collect$6 near10 (information data)) same (automatic$7 near10 transfer$6) near10 (network$4 router)) and automatic$7 and status not ((((auto automatic$7) near10 transfer$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 10:28
-	607	(((sav$4 stor$4) near6 (information data)) same (((auto automatic$7) near5 transfer$6) same (information data))) and (network$4 router) and automatic$7 not ((((auto automatic$7) near10 transfer$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB .	2002/10/07 13:05
-	9	(((sav$4 stor$4 collect$4) near10 (information data)) same (((auto automatic$7) near10 transfer$6) same (information data))) and (network$4 router) and automatic$7 and ((parallel near4 processor) same bus) not ((((auto automatic$7) near10 transfer$6) same status same data) and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 11:16
-	2284	(bus same interfac$4 same process$4) and (processor near3 parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/09 18:16
-	124	((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same ((transmi$6 transfer$6))) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:11

-	2	((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same ((transmi$6 transfer$6))) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near5 stamp$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:15
-	27	(((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 13:35
-	4	(((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) near10 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/07 14:12
-	80	(rout$3 and (status near5 (data packet)) and (buffer$4 register$4) and poll$4 and ((transmi$7 transfer$4) near6 (data packet)) and (receiv$4 near6 (data packet)) and (flag$4 field bit) and (bus$4 near5 interfac$4)) and ((port near10 (availab$7)) near10 (transfer$4 transmi$6 receiv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:07
-	7	((rout$3 and (status near5 (data packet)) and (buffer$4 register$4) and poll$4 and ((transmi$7 transfer$4) near6 (data packet)) and (receiv$4 near6 (data packet)) and (flag$4 field bit) and (bus$4 near5 interfac$4)) and ((port near10 (availab$7)) near10 (transfer$4 transmi$6 receiv$4))) and ((register$4 near5 (transfer$4 transmi$6 receiv$4)) near10 interfac$4) and protect$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/08 15:17
-	88	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (interfac$4 near10 connect$6) and (transfer$5 same stat$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 10:07
-	164	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 08:58
-	13	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and (stat$4 near7 register$4) and (automatic$6 same transfer$6) and (collect$6 near10 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:09
-	3	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and router and interfac$4 and (stat$4 near7 register$4) and (automatic$6 same transfer$6) and (collect$6 near10 data) and (parallel adj5 process$4) and (receiv$4 near10 (data packet)) and (tim$4 near10 stamp$4) and (stale$4 inactiv$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:10

-	156	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and (((collect$4 sav$4 stor$4) near10 (data status packet) ready readiness acknoledg$5) and ((transmi$6 transfer$4) near10 (packet$4 data)) (unsolicit$4 solicit$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:11
-	84	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and ((buffer register memor$4) same (spac$4 room allocat$5) same receiv$4) and ((flag$4 bit field) same (packet data information) same receiv$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	85	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and ((buffer register memor$4) same allocat$5) and ((flag$4 bit field) same (packet data information) same receiv$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/09 17:20
-	380	((flag$4 feild) near3 receiv$4 same (free open space allocat$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 08:49
-	160	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and port$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:03
-	61	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (port$4 near10 availab$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:08
-	35	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (port near10 availab$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:23
-	6	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and (process$4 adj6 engin$4) and ((port same availab$7) same poll$4) and (second near10 bus)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:40
-	52	((flag$4 field bit) same port) and packet and (buffer$4 register$4) and ((port same availab$7) same poll$4) and (second near10 bus) not (((flag$4 field bit) same port) and packet and (buffer$4 register$4) and (process$4 adj6 engin$4) and ((port same availab$7) same poll$4) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 09:49
-	13	((flag$4 field bit) near6 port) and packet and ((buffer$4 register$4) near10 (writ$5 stor$4 sav$4) same receiv$4) and ((port near7 availab$7) near10 poll$4) and (second near10 bus) not (((flag$4 field bit) same port) and packet and (buffer$4 register$4) and (process$4 adj6 engin$4) and ((port same availab$7) same poll$4) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/10 14:25
-	12	(((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) near10 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 13:54

-	16	(((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) near10 (device computer server router switch port data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 14:08
-	46	(((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) same (device computer server router switch port data packet) same (stat$4 transmi$8 transfer$6 send$4 forward$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 14:18
-	9	(((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) same (device computer server router switch port data packet) same stat$4 same (transmi$8 transfer$6 send$4 forward$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 14:44
-	6	(((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) same (device computer server router switch port data packet) same stat$4 same (transmi$8 transfer$6 send$4 forward$4)) and (stat$4 near11 (collect$7 gather$4 accumulat$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 14:50
-	61	((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:36
-	26	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and (bus same interfac$4 same process$4) and (processor near3 parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:37
-	10	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and ((poll$4 near5 (devic$4 router switch$4)) and (second near4 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:37

-	51	((flag$4 feild) near3 (free open space allocat$6) near4 (sav$4 buffer memor$4 stor$) same receiv$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:38
-	15	((rout$3 and (status near5 (data packet)) and (buffer$4 register$4) and poll$4 and ((transmi$7 transfer$4) near6 (data packet)) and (receiv$4 near6 (data packet)) and (flag$4 field bit) and (bus$4 near5 interfac$4)) and ((port near10 (availab$7)) near10 (transfer$4 transmi$6 receiv$4))) and ((register$4 near5 (transfer$4 transmi$6 receiv$4)) near10 interfac$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:38